07.31.2023 windhamfabrics.com



Bobbin's Nest

Designed by Christine Stainbrook Featuring *Robin* by *Clare Therese Gray* SIZE: 50" x 58"

FREE PROJECT



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.





PROJECT DISCLAIMER: Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however, no warranty can be given nor results guaranteed. Therefore, we assume no responsibility nor damages that may occur when referring to this pattern. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. We suggest you check **windhamfabrics.com** for pattern updates and to test the pattern prior to making the project. Test templates first, before cutting all the pieces. Free projects are not for resale.

WOF = WIDTH OF FABRIC

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
A		53839-1 Ivory	1/4	(1) 4-1/2" x WOF strip; subcut (10) 2-1/2" x 4-1/2" rectangles and (1) 4" x 6" rectangle.
В		53839-2 Dew	1/4	(1) 4-1/2" x WOF strip; subcut (10) 2-1/2" x 4-1/2" rectangles and (2) 4" x 6" rectangles.
С		53839-3 Dark Sage	1/3	(1) 4" x WOF strip; subcut (3) 4" x 6" rectangles and (1) 2-1/2" x 4-1/2" rectangles. (1) 2-1/2" x WOF strip; subcut (9) 2-1/2" x 4-1/2" rectangles.
D		53840-4 Sky	1/3	(1) 4-1/2" x WOF strip; subcut (1) 4-1/2" square and (4) 4" x 6" rectangles. (1) 2-1/2" x WOF strip; subcut (9) 2-1/2" x 4-1/2" rectangles.
E		53841-4 Sky	1/3	(1) 4" x WOF strip; subcut (5) 4" x 6" and (1) 2-1/2" x 4-1/2" rectangles. (1) 2-1/2" x WOF strip; subcut (9) 2-1/2" x 4-1/2" rectangles.
F		53842-1 Ivory	1/3	(1) 4-1/2" x WOF strip; subcut (1) 4-1/2" square and (5) 4" x 6" rectangles. (1) 2-1/2" x WOF strip; subcut (8) 2-1/2" x 4-1/2" rectangles.
G		53840-5 Blush	1/3	(1) 4-1/2" x WOF strip; subcut (1) 4-1/2" square and (4) 4" x 6" rectangles. (1) 2-1/2" x WOF strip; subcut (9) 2-1/2" x 4-1/2" rectangles.
н		53842-7 Denim	1/3	(1) 4-1/2" x WOF strip; subcut (1) 4-1/2" square and (3) 4" x 6" rectangles. (1) 2-1/2" x WOF strip; subcut (8) 2-1/2" x 4-1/2" rectangles.




WOF = Width of Fabric

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
I		53843-1 Ivory	1/3	(1) 4" x WOF strip; subcut: (2) 4" x 6" rectangles. (1) 2-1/2" x WOF strip; subcut (9) 2-1/2" x 4-1/2" rectangles.
J		53841-5 Blush	1/3	(1) 4" x WOF strip; subcut: (1) 4" x 6" rectangle. (1) 2-1/2" x WOF strip; subcut (9) 2-1/2" x 4-1/2" rectangles.
К		52782-46 White on White	1-7/8	 (3) 8-1/2" x WOF strips; subcut (60) 1-1/2" x 8-1/2" rectangles and (12) 1-3/4" x 6" rectangles. (2) 6" x WOF strips; subcut (48) 1-3/4" x 6" rectangles. (5) 1-3/4" x WOF strips; subcut (120) 1-3/4" squares. (5) 1-1/2" x WOF strip.
L		53843-10 Grey	5/8	Binding: (6) 2-1/2" x WOF strips.
М		53844-3 Dark Sage	1/2	(5) 1-3/4" x WOF strips; subcut (30) 1-3/4" x 6-1/2" rectangles.
N		53844-1 Ivory		
		Backing	3-1/3	58" x 66" piece of batting.



SPOOL TOPS 1 & 2

- 1. Corner Triangles: Draw a diagonal line on the wrong side of (1) K 1-3/4" square. Place K square, right sides together, at the left corner of (1) M 1-3/4" x 6-1/2 rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open an press to reveal K corner triangle. Repeat with another K square at the opposite corner of the same M rectangle to complete spool top 1. Make (30) total, measuring 1-3/4" x 6-1/2" unfinished.
- 2. Repeat step 1 using K 1-3/4" squares and N 1-3/4" x 6-1/2 rectangles to make (30) spool top 2.



SPOOL BLOCKS

- 3. Sew (1) K 1-3/4" \times 6" rectangle to each long side of (1) A 4" \times 6" rectangle.
- 4. Noting orientation, add (1) spool top 2 to the top and bottom of the block as shown.
- 5. Sew (1) **K** 1-1/2" x 8-1/2" rectangle to each side of the **step 4** unit to complete (1) **spool block**, measuring 8-1/2" square unfinished.








Make (1) of **A** Measures: 8-1/2" square unfinished



6. Noting **Spool Top 1** or **2**, repeat **steps 3-5** to make the following spool blocks as shown: **SPOOL TOP 1**



SPOOL TOP 2



QUILT ASSEMBLY

REFER TO QUILT ASSEMBLY PAGE FOR SPOOL PLACEMENT GUIDE. NOTE ROTATION OF SPOOL BLOCKS.

7. Sew together (5) spool blocks to make (6) pieced spool rows.

BORDERS

MEASURE QUILT CENTER BEFORE CUTTING BORDER PIECES.

8. Border 1: Sew (5) **K** 1-1/2" x WOF strips together. Cut (2) 1-1/2" x 48-1/2" strips and sew to the sides of the quilt. Then cut (2) 1-1/2" x 42-1/2" strips and sew to the top and bottom of the quilt.

REFER TO QUILT ASSEMBLY PAGE FOR PIECED BORDER PLACEMENT GUIDE.

9. Border 2

Side Pieced Borders - Sew together (25) 2-1/2" \times 4-1/2" rectangles. Make (2), and add to the sides of quilt center.

Top and Bottom Border - Sew together (21) 2-1/2" \times 4-1/2" rectangles. Add (1) 4-1/2" square to each end. Make (2), and sew to the top and bottom of quilt center.



Quilt Top Assembly BORDER: (21) RECTANGLES AND (2) SQUARES F G SIDE PIECED BORDERS: (25) RECTANGLES Row 1 Row 2 Row 3 Row 4 Row 5 Row 6

FINISHING: Layer quilt top, batting and backing together to form quilt sandwich. Baste and quilt as desired. Bind using **L** 2-1/2" strips.