
02.01.18 windhamfabrics.com

Dappled

Designed by Stacey Day Featuring Smitten With Spring by Whistler Studios SIZE: $56" \times 70"$



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.



FREE PROJECT





KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
Α		37098-56 Cloud *Palette	2	(40) 7 7/8" squares; cut into (80) HST
В		50083-3 Butter	1	(10) 10 3/8" squares
С		50084-3 Butter	1	(10) 10 3/8" squares
D		50079-2 Grey	3/4	(40) Template 1
E		50081-1 Aqua	3/4	(40) Template 1
F	or or or	50082-1 Aqua	3/4	(40) Template 1
G	or the me the	50082-2 Grey	3/4	(40) Template 1
Н		50081-2 Grey	1/2	(7) 2 1/4" × WOF
		Backing	3 2/3	
				65" x 78" piece of batting


Sewing Instructions:

All seam allowances are 1/4". Pieces are sewn right sides together. Press seams open.

1. Sew a pair of Fabric A HST to opposite sides of the Fabric B and C 10 3/8" squares. Press. Sew the remaining Fabric A HST to the remaining sides of the Fabric B and C 10 3/8" squares. Press. Trim and square to 14 1/2" x 14 1/2".













2. Sew the Fabric D and Fabric F Template 1 pieces together to make (40) A Units. Press. Repeat with the Fabric E and Fabric G Template 1 pieces to make (40) B Units. Press. Trim the seam allowance flush with the curve of each unit so it doesn't show from the right side.



3. Appliqué (4) A Units to each Fabric C pieced square using a preferred appliqué stitch, matching the seams of the A Units to the seams of the squares and making sure the points remain inside the seam allowance of the square, to make (10) A Blocks. Repeat with the B Units and Fabric B pieced squares to make (10) B Blocks.








Finishing:

- 4. Sew the A and B blocks together, paying close attention to the layout diagram on page 3 for placement of each block. Press the even rows left and the odd rows right.
- 5. Sew the rows together, matching seam allowances. Press all seams towards the bottom of the quilt.





- 6. Make a backing approximately 65"x 78".
- 7. Layer the backing, batting, and quilt top. Baste the layers together and quilt as desired.
- 8. Piece the 2 1/4" x WOF Fabric H strips using diagonal seams to make the binding. Sew the binding around the outside of the quilt. Turn the binding to the back and secure in place by hand or machine. Label and enjoy.



