07.08.2020 windhamfabrics.com



Forget-Me-Not

designed by Helle-May Designs featuring Spellbound fabric collection by Katia Hoffman

QUILT SIZE: 47" x 47" | PILLOW: 20" x 20"



PILLOW

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.





WOF: Width of Fabric

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
A		51960PM-X Multi	1 Panel	See Fussy Cutting Directions and Diagrams on Page 2.
В		51961M-X Multi	1-1/2	See Fussy Cutting Directions and Diagrams on Page 2.
С		51964M-4 Aqua	1	Quilt Top: (4) 10-3/4" squares. (3) 1-1/2" x WOF strips; subcut (2) 1-1/2" x 29" and (2) 1-1/2" x 31" strips. Pillow: (2) 4-1/8" squares. (2) 1-1/2" x WOF strips; subcut (2)1-1/2" x 17-1/2" and (2) 1-1/2" x 19-1/2" strips.
D		51965M-3 Rose	1/3	Quilt Top: (2) 10-3/4" squares.
E		51966-3 Rose	1/2	Quilt Top: (2) 10-3/4" squares. Pillow: (2) 4-1/8" squares. (1) 1" x WOF strips; subcut (2)1" x 10" and (2) 1" x 11" strips.
F		51964M-1 Navy	5/8	Quilt Top Binding: (5) 2-1/2" x WOF strips. Pillow: (4) 1-1/4" x WOF strips; subcut (4)1-1/4" x 19-1/2" and (4) 1-1/4" x 21" strips.
		Backing	3-1/8	Batting 53" x 53"

PROJECT DISCLAIMER: Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however, no warranty can be given nor results guaranteed. Therefore, we assume no responsibility nor damages that may occur when referring to this pattern. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. We suggest you check **windhamfabrics.com** for pattern updates and to test the pattern prior to making the project. Test templates first, before cutting all the pieces. Free projects are not for resale.




QUILT TOP

Fussy Cutting: For best results, do not pre-wash the fabric. Iron the fabric carefully so as to not distort the print, but do remove all creases. Cut through a single layer of fabric only!

FUSSY CUT PANEL (A)

- 1. Center and cut (6) Rose Blocks to measure 10" square. (Quilt and Pillow)
- 2. Center and cut Border Stripes 3-3/4" wide. Subcut the Border Stripes into (4) 3-3/4" x 11" pieces. (Pillow)



FUSSY CUT FLORAL (B)


3. Border Strips: Working from the right, align the 1/4" line of a long ruler along the tips of the "white lace" to the right of the first floral strip and cut to a length of 51". For accuracy, align and cut only about 12" at a time working your way to the end. Turn the fabric around. Align the 8-1/2" ruler line on the cut edge and cut an 8-1/2" strip. Repeat to cut (4) total.






HALF-SQUARE TRIANGLES (HST)

- **4.** Draw a diagonal line (corner to corner) on the back of (4) **C** 10-3/4" squares, as shown.
- **5.** With right sides together, place a marked **C** square on top of (1) **D** 10-3/4" square. Sew a 1/4" seam on both sides of the line. Cut on the line to form (2) HSTs. Press and open toward **C**. Repeat with remaining **D** squares to create a total of (4) HSTs.
- 6. Repeat Steps 4 and 5, using E and the remaining C 10-3/4" squares.



HOUR GLASS BLOCKS

- 7. Draw a diagonal line on the wrong side of each C/E HSTs created in Step 6.
- **8.** Place a **C/E** HST right sides together with a **C/D** HST so that the **C** triangles are opposite each other and the seams nest together. Sew a 1/4" seam on both sides of the line.
- **9.** Cut along the solid line to form (2) Hour-Glass Blocks. Press down on the seam intersection to release a few stitches and press the seam to opposite sides.
- 10. Trim the "Dog Ears" from the corners. Measures 10" square. Make (8) total.





QUILT CENTER ASSEMBLY

11. Sew Panel and Hour-Glass Blocks together in rows, as shown. Note rotation of Hour-Glass Blocks. Press according to arrows. Quilt Center measures 29" x 29".

BORDERS

- **12.** Inner Border: Sew (1) **C** 1-1/2" x 29" strip to the sides. Press toward the Inner Border. Sew (1) **C** 1-1/2" x 31" strip to the top and bottom. Press toward Inner Border.
- **13.** Outer Border: Center and pin (1) **B** 8-1/2" x 51" strip to one side. Sew together, starting and ending 1/4" from each edge of the quilt. Backstitch at each end. Repeat with the remaining three Outer Border strips. Miter the corners using your favorite method, making sure that the stripe pattern matches. Trim miter seams to 1/4" and press open. Press border seam toward the Outer Border strips. Quilt measures 47" x 47".



Measures 47" square

FINISHING: Layer quilt top, batting and backing together to form quilt sandwich. Baste and quilt as desired. Using bias seams, sew together the **F** 2-1/2" strips to create around 200" of binding. Fold this strip in half lengthwise with wrong sides together and press. Attach the binding using your preferred method.



PILLOW (FRONT)

Half-Square Triangle (HSTs)

14. Repeat Steps 4 and 5 using C and E 4-1/8" squares. Make (4) HSTs. Measures 3-3/4" square.



Make (4) Measures: 3-3/4" square

- **15.** Add (2) **E** 1" x 10" strips to the sides of the remaining **A** 10" Panel Block and (2) **E** 1" x 11" strips to the top and bottom of the same **A** Panel Block. Press toward **A**.
- **16.** Sew (2) **A** 3-3/4" x 11" strips to the sides.
- 17. Add the HSTs made in Step 14 to the ends of (2) A 3-3/4" x 11" strips. Press toward A.
- **18.** Sew Step 17 to the top and bottom of the unit made in Step 16.




Step 17





- 19. Add (2) C 1-1/2" x 17-1/2" strips to the sides unit completed in Step 18. Add (2) C 1-1/2" x 19-1/2" strips to the top and bottom. Press toward C.
- 20. Add (2) F 1-1/4" x 19-1/2" strips to the sides of Step 19. Add (2) F 1-1/4" x 21" strips to the top and bottom. Press toward F. Pillow top measure 21" x 21".



PILLOW (BACK)

- **19.** Sew (4) Hour Glass Blocks together in rows, as shown. Press according to arrows. Gently press down on the center seam intersection to release a few stitches and press the seam to opposite sides.
- **20.** Add (2) **F** 1-1/4" x 19-1/2" strips to the sides. Add (2) **F** 1-1/4" x 21" strips to the top and bottom. Press toward **F**. Pillow Back measures 21" x 21".

PILLOW ASSEMBLY

- **21.** Layer the Top with thin batting. Machine baste, 1/2" around all edges. Quilt as desired. Trim batting close to basting.
- **22.** With right sides together, sew Front and Back together just to the inside of the 1/2" basting seam, leaving a 5" opening to insert a 20" pillow form or fiber fill stuffing. Back stitch at both ends.
- **23.** Add filling or pillow form and close opening by machine or hand.

