

Get The Party Started

Designed by Casey York

Featuring Petit Collage's Party Animals Collection

SIZE: 51" x 59.5"




PLEASE NOTE: QUILT IMAGE SHOWN IS A DIGITAL REPRESENTATION, FABRIC LOOK MAY VARY ON YOUR PROJECT.
VISIT OUR [FREE PROJECT SECTION](#) ONLINE FOR ANY PATTERN UPDATES BEFORE STARTING QUILT PROJECT.



WINDHAM FABRICS

Get The Party Started

Page 2



Materials requirements:

1/4 yd of each various Party Animals prints for bunting appliqués: 41510-2 White, 41510-3 Teal, 41511-2 White, 41511-4 Charcoal, 41512-1 Green, 41512-6 Pink, 41513-7 Yellow, and 41513-8 Red

1/4 yd 41513-1 Green for animal appliqués

1/4 yd of each Artisan Cottons crossweave solids for animal appliqués: 40171-7 Red-Yellow; 40171-22 Tan-Beige; 40171-27 Black-Copper, and 40171-29 Yellow-Copper

1/8 yd of each Artisan Cottons crossweave solids for animal appliqués: 40171-2 Black-Grey and 40171-13 Red-White

1/2 yd of Artisan Cotton crossweave solid for appliqué: 40171-1 Charcoal-White

1 1/2 yd 25026-MINT for background

1 1/2 yd 41507-X for borders

1/4 yd 41509-X for cornerstones

Backing: 4 total yards

Binding: 1 yard for binding (*model shows 40171-1 Charcoal-White*)

Batting: 58" X 67.5"

Lightweight Fusible Web: 1 3/4 yards 15"-wide web

1/2" bias tape maker


Get The Party Started

Page 3

Cutting instructions:

1. From the Mint solid, cut:
 - (1) rectangle measuring 42.5" wide X 51.5" long
2. From 41507-X Multi, cut: (*see cutting diagram*)
 - (2) strips measuring 4.5" wide X 51.5" long
 - (4) strips measuring 21.5" wide X 4.5" long*

*these strips will be pieced together into (2) long strips, requiring prints to be matched; note this while cutting



3. From 41509-X Multi, cut:
 - (4) squares measuring 4.5" X 4.5"
4. From the 1/2 yard of 40171-1 Charcoal-White, cut **on the bias**:
 - (5) strips 1" wide (each cut strip should measure about 25.5" long)

Reserve the remainder of the 40171-1 Charcoal-White for appliqué.

Make and stitch the appliqué:

1. Print the appliqué templates. Templates have already been reversed for tracing onto fusible web.
2. Following the manufacturer's instructions, trace the templates onto the paper-backed fusible web. Copy the color recommendations onto each traced template.
3. Cut out the traced templates, leaving a 1/4" margin around the edges.
4. Following the manufacturer's instructions, fuse the traced templates to the **wrong** side of each appliqué fabric.

Get The Party Started

Page 4

5. Using very sharp scissors to minimize fraying, cut out the fabric shapes along the traced lines.
6. Fold the mint background rectangle in half lengthwise and widthwise and press to create creases; these mark the center point and horizontal and vertical axes of the rectangle and will be used to place the appliqué.
7. Following the **Placement Diagram**, place the animal appliqué on the background rectangle along the horizontal axis line. Remove the paper backing from the fusible web and pin each appliqué in place as you go. Appliqué pieces will overlap one another. When pleased with the layout of each group of appliqué, use an iron to permanently fuse in place on the background, again following the manufacturer's directions (remember to remove pins before fusing!).
 - a. Place the Monkey first, centering Head on the background fabric; fuse. Place the Monkey Face appliqué on the Head appliqué, then place the Muzzle applique overlapping the Face; fuse. Place the Smile and Cheeks on the Muzzle, tucking ends of the Smile beneath the Cheeks; fuse. Place Eyes, Ears, and Nostrils on top of the Head, Face, and Muzzle; fuse.
 - b. Place the Tiger Head appliqué, centered on the horizontal axis and at least 1.5" from the left raw edge of the background fabric; fuse. Place the Tiger Nose Bridge on top of the Head, aligning with the top of the head; fuse. Place the Nose and Mouth appliqué, tucking the top edge of the Mouth beneath the Nose; fuse. Place the Stripes, Eyes, Cheeks, Ears, and Tie; fuse.
 - c. Place the Bear Head appliqué, centered on the horizontal axis and at least 1.5" from the right raw edge of the background fabric; fuse. Place the Bear Muzzle on top of the Head; fuse. Place the Bear Nose and Mouth appliqué on top of the Muzzle, tucking the top edge of the Mouth beneath the Nose; fuse. Place the Eyes, Cheeks, Ears, and Tie; fuse.
 - d. Place the Fox Head and Chin appliqué between the Tiger and Monkey, tucking Chin under Head and aligning raw edges; fuse. Place the Fox Nose and Mouth appliqué, tucking the top edge of the Mouth beneath the Nose; fuse. Place the Eyes, Cheeks, and Ears appliqué; fuse. Place the black Hat appliqué over the Fox Head, and the yellow Hat Band on top of the hat; fuse.
 - e. Place the Cat Head pieces between the Monkey and Bear, tucking the Center piece beneath the Right and Left sections and aligning rounded and top edges; fuse. Place the Nose and Mouth, tucking top edge of the Mouth beneath the Nose; fuse. Place Eyes, Cheeks, Ears, Crown, and Crown Jewels; fuse.

Get The Party Started

Page 5

5. Using very sharp scissors to minimize fraying, cut out the fabric shapes along the traced lines.
6. Fold the mint background rectangle in half lengthwise and widthwise and press to create creases; these mark the center point and horizontal and vertical axes of the rectangle and will be used to place the appliqués.
7. Following the **Placement Diagram**, place the animal appliqués on the background rectangle along the horizontal axis line. Remove the paper backing from the fusible web and pin each appliqué in place as you go. Appliqué pieces will overlap one another. When pleased with the layout of each group of appliqués, use an iron to permanently fuse in place on the background, again following the manufacturer's directions (remember to remove pins before fusing!).
 - a. Place the Monkey first, centering Head on the background fabric; fuse. Place the Monkey Face appliqué on the Head appliqué, then place the Muzzle applique overlapping the Face; fuse. Place the Smile and Cheeks on the Muzzle, tucking ends of the Smile beneath the Cheeks; fuse. Place Eyes, Ears, and Nostrils on top of the Head, Face, and Muzzle; fuse.
 - b. Place the Tiger Head appliqué, centered on the horizontal axis and at least 1.5" from the left raw edge of the background fabric; fuse. Place the Tiger Nose Bridge on top of the Head, aligning with the top of the head; fuse. Place the Nose and Mouth appliqués, tucking the top edge of the Mouth beneath the Nose; fuse. Place the Stripes, Eyes, Cheeks, Ears, and Tie; fuse.
 - c. Place the Bear Head appliqué, centered on the horizontal axis and at least 1.5" from the right raw edge of the background fabric; fuse. Place the Bear Muzzle on top of the Head; fuse. Place the Bear Nose and Mouth appliqués on top of the Muzzle, tucking the top edge of the Mouth beneath the Nose; fuse. Place the Eyes, Cheeks, Ears, and Tie; fuse.
 - d. Place the Fox Head and Chin appliqués between the Tiger and Monkey, tucking Chin under Head and aligning raw edges; fuse. Place the Fox Nose and Mouth appliqués, tucking the top edge of the Mouth beneath the Nose; fuse. Place the Eyes, Cheeks, and Ears appliqués; fuse. Place the black Hat appliqué over the Fox Head, and the yellow Hat Band on top of the hat; fuse.
 - e. Place the Cat Head pieces between the Monkey and Bear, tucking the Center piece beneath the Right and Left sections and aligning rounded and top edges; fuse. Place the Nose and Mouth, tucking top edge of the Mouth beneath the Nose; fuse. Place Eyes, Cheeks, Ears, Crown, and Crown Jewels; fuse.


Get The Party Started

Page 6


8. Following the **Placement Diagram**, use a removable fabric marker to mark two gently curved lines for the bunting; begin and end at the measurements indicating where the bunting should intersect with each edge of the background rectangle.
9. Place the Bunting Flag appliqués with the shortest ends of the triangles aligned along the curved lines marked in step 8. Remove paper backing and pin in place. When you are satisfied with your layout, use an iron to fuse the appliqués in place according to the manufacturer's directions (remember to remove pins before fusing!).
10. Stitch around all appliqués to secure to background. A zig-zag or machine blanket stitch can be used, using matching thread or invisible thread. A straight stitch can also be used, although this will result in more fraying of the appliqué fabrics along their edges.
11. Stitch the 40171-1 Charcoal-White 1" bias strips together on the diagonal, as if you were making quilt binding. Trim the seams to $\frac{1}{4}$ " and press open. Feed the resulting long strip through a $\frac{1}{2}$ " bias tape maker to make approximately 125" of $\frac{1}{2}$ " bias tape.
12. Center the 40171-1 Charcoal-White bias tape over the curved bunting lines, making sure to cover the aligning raw edges of the Bunting Flags and allowing the cut ends of the tape to extend $\frac{1}{2}$ " past the edges of the background rectangle. Stitch tape in place along both edges to secure. Trim the ends of the bias tape flush with the raw edges of the background fabric.

Piece the quilt top:

1. Stitch (2) 21.5" X 4.5" 41507-X Multi print strips together along the 4.5" ends to form one strip measuring 42.5" wide by 4.5" long. Repeat with the other (2) 21.5" X 4.5" strips. (Note: because of the scale of the Harlequin print, you may wish to match the prints for each set of strips. Take this into account when cutting the strips.)
2. Stitch one 4.5" 41509-X Multi square to each end of each 42.5" X 4.5" strip from step 1 to make (2) patchwork strips measuring 50.5" X 4.5".




3. Stitch one 4.5" X 51.5" 41509-X Multi strip to either side of the green background rectangle, making sure to catch the ends of the bias tape appliqués in the side seams.



Get The Party Started

Page 7

4. Stitch one pieced 50.5" X 4.5" strip to the top and bottom of the resulting background panel.



Finish the quilt:

Layer, baste, and quilt as desired. Bind using your favorite method.

Placement Diagram:

(Note: Diagram shows only interior green background rectangle; it does not include borders.)



Template Printing Instructions

-Print using the latest version of Adobe Reader
(available for free at www.adobe.com/products/reader.html).

Do Not print from your browser, as this will not
give you the full range of scaling options.

-Print full size: in print dialog box, set printer options to ***“Do not scale”*** or ***“Actual Size.”***

-Refer to the grey one inch box to ensure printing at correct size

-Templates are already reversed for tracing onto fusible web

-Templates do not include seam allowance



1" X 1"



Tiger Eye
Cut 2 from 40171-2
Charcoal-White




Tiger Cheek
Cut 2 from 40171-7
Red-Yellow




Tiger Head
Cut 1 from 40171-29
Yellow-Copper


1" X 1"



Tiger Ears
Cut 1 each from
40171-7 Red-Yellow




Tiger Stripes
Cut 1 each from
40171-27 Black-Copper




Tiger Nose Bridge
Cut 1 from
40171-22 Tan-Beige



Tiger Mouth
Cut 1 from
40171-2 Black-Grey



Tiger Tie
Cut 1 from 40171-7
Red-Yellow




Tiger Nose
Cut 1 from 40171-7
Red-Yellow

1" X 1"

Fox Head
Cut 1 from 40171-7
Red-Yellow

Fox Chin
Cut 1 from 40171-22
Tan-Beige


1" X 1"



Fox Cheeks
Cut 2 from
40171-13 Red-White



Fox Eyes
Cut 2 from 40171-2
Black-Grey




Fox Ears
Cut 1 from 40171-13
Red-White



Fox Nose
Cut 1 from 40171-2
Black-Grey



Fox Mouth
Cut 1 from 40171-2
Black-Grey



Fox Hat
Cut 1 from 40171-2
Black-Grey




Fox Hat Band
Cut 1 from 40171-29
Yellow-Copper

1" X 1"

Monkey Head
Cut 1 from
41513-1 Green

Monkey Face
Cut 1 from 40171-22
Tan-Beige




Monkey Muzzle
Cut 1 from 40171-29
Yellow-Copper




Monkey Mouth
Cut 1 from 40171-2
Black-Grey



Monkey Nostril
Cut 2 from 40171-2
Black-Grey




Monkey Cheek
Cut 2 from 40171-7
Red-Yellow



Monkey Ears
Cut 1 each from
40171-13 Red-White




Monkey Right Eye
Cut 1 from 40171-2
Black-Grey




Monkey Left Eye
Cut 1 from 40171-2
Black-Grey




Cat Eye
Cut 2 from 40171-2
Black-Grey



Cat Cheek
Cut 2 from 40171-13
Red-White




Cat Ears
Cut 1 each from
40171-7 Red-Yellow



Cat Nose
Cut 1 from
40171-13 Red-White



Cat Mouth
Cut 1 from 40171-2
Black-Grey




Cat Crown
Cut 1 from 40171-29
Yellow-Copper




Cat Crown Jewel
Cut 1 each from 41513-1 Green
40171-13 Red White &
40171-7 Red-Yellow




1" X 1"




Cat Head Right
Cut 1 from 40171-1
Charcoal-White




Cat Head Left
Cut 1 from 40171-1
Charcoal-White



Cat Head Center
Cut 1 from 40171-22
Tan-Beige



1" X 1"



Bear Head
Cut 1 from 40171-27
Black-Copper




1" X 1"



Bear Muzzle
Cut 1 from
40171-22 Tan-Beige




Bear Ears
Cut 1 each from
40171-7 Red-Yellow



Bear Tie
Cut 1 from
40171-2 Black-Grey



Bear Mouth
Cut 1 from
40171-2 Black-Grey




Bear Cheek
Cut 2 from
40171-13 Red-White



Bear Nose
Cut 1 from
40171-2 Black-Grey



Bear Eye
Cut 2 from
40171-2 Black-Grey



Bunting Flag
Cut 14 from various prints
(Model shows 41513-8 Red, 41513-7
Yellow, 41510-2 White, 41510-3 Teal,
41511-2 White, 41511-4 Charcoal,
41512-6 Pink & 41513-1 Green)



1" X 1"