

# Regiment

Designed by Wendy Sheppard  
Featuring Clayton by Nancy Gere  
SIZE: 71" x 83"



FREE  
PROJECT

**THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.**

**PLEASE NOTE:** BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT [WINDHAMFABRICS.COM](http://WINDHAMFABRICS.COM)'S FREE PROJECTS SECTION.



# Regiment

| KEY | FABRIC | SKU     | YD    | CUTTING INSTRUCTIONS  |
|-----|--------|---------|-------|---|
| A   |        | 43406-X | 2 1/4 | (8) 9 1/2" x WOF strips. Subcut (30) 9 1/2" x 9 1/2" squares.   |
| B   |        | 43407-1 | 1/4   | (4) 1 1/2" x WOF strips. Subcut (13) 1 1/2" x 9 1/2" rectangles.  |
| C   |        | 43409-3 | 1/4   | (4) 1 1/2" x WOF strips. Subcut (14) 1 1/2" x 9 1/2" rectangles.  |
| D   |        | 43410-5 | 2 1/4 | (5) 9 1/2" x WOF strips. Subcut (142) 1 1/2" x 9 1/2" rectangles.<br>(4) 3 1/2" x WOF strips. Subcut (84) 1 1/2" x 3 1/2" rectangles.<br>(5) 1 1/2" x WOF strips. Subcut (1) strip into (2) 1 1/2" x 9 1/2" rectangles. |
| E   |        | 43410-6 | 3/4   | (8) 2 1/4" x WOF strips for binding.<br>(2) 1 1/2" x WOF strips.  |
| F   |        | 43411-3 | 1/4   | (4) 1 1/2" x WOF strips. Subcut (13) 1 1/2" x 9 1/2" rectangles.  |
| G   |        | 43412-2 | 1/8   | (2) 1 1/2" x WOF strips. Subcut (6) 1 1/2" x 9 1/2" rectangles.   |
| H   |        | 43412-7 | 1/4   | (4) 1 1/2" x WOF strips. Subcut (13) 1 1/2" x 9 1/2" rectangles.  |
| I   |        | 43413-6 | 1 1/8 | For outer border:<br>(8) 4 1/2" x WOF strips. Piece strips and subcut (2) 4 1/2" x 71 1/2" and (2) 4 1/2" x 75 1/2" strips.   |
| J   |        | 43414-8 | 1/4   | (3) 1 1/2" x WOF strips. Subcut (12) 1 1/2" x 9 1/2" rectangles.  |
|     |        | Backing | 5 1/8 |   |
|     |        |         |       | 77" x 89" piece of batting  |



# Regiment

## Constructing Sashing Blocks

1. Sew (2) 1 1/2" x 9 1/2" **D** rectangles to the opposite long sides of (1) 1 1/2" x 9 1/2" **C** rectangle to complete (1) sashing block.



2. Make the total number of blocks indicated using the following fabrics for the center strip:

14 blocks: **C**


13 blocks: **B, F, H**

12 blocks: **J**


6 blocks: **G**

## Constructing Cornerstones:

1. Sew (2) 1 1/2" x WOF **D** strips lengthwise to the opposite sides of (1) 1 1/2" x WOF **E** strip. Make 2 strip sets. Crosscut the strip sets into (42) 1 1/2" segments.



2. Sew (2) 1 1/2" x 3 1/2" **D** rectangles to the top and bottom of a segment from step 1 to complete (1) cornerstone unit. Repeat to make a total of (42) cornerstone units.



## Quilt Assembly

1. Lay out (5) 9 1/2" **A** squares alternating with (6) sashing blocks. Sew the squares and blocks into a row. Make a total of (6) pieced rows. Lay out (6) cornerstone units alternating with (5) sashing blocks. Sew the units and blocks into a row. Make a total of (7) sashing rows.

2. Lay out the pieced rows alternating with the sashing rows. Join the rows to complete the quilt center.

3. Sew the (8) 4 1/2" x WOF **I** strips short ends together. Cut (2) 75 1/2" lengths and (2) 71 1/2" lengths. Sew the longer strips to the sides of the quilt. Sew the remaining strips to the top and bottom of the quilt.

4. With the backing fabric laying taut, place batting and then quilt top to form quilt sandwich. Baste sandwich and quilt as desired.

5. Bind to finish quilt using the (8) 2 1/4" x WOF **E** strips.



# Regiment

## Quilt Assembly Diagram

