02.07.22 windhamfabrics.com



Savanna Adventure

designed by Natalie Crabtree featuring Savanna Sunrise and Spectrum by Whistler Studios SIZE: $61" \times 61"$



FREE PROJECT

THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM FREE PROJECTS SECTION.





KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
A		SPECTRUM 52782-2 Sand	1 1/4	(6) 1 ½" x WOF strips. Piece strips for length using diagonal seams. From the long strip, subcut the following: (2) 1 ½" x 48 ½" Side Border 1 strips. (3) 2" x WOF strips. Subcut (6) 2" x 15 ½" vertical sashing strips. Use the remainder of the (3) WOF strips measuring approximately 2" x 11" for the next cutting instruction. (2) 2" x WOF strips. Sew (1) 2" x 11" scrap piece from the above cutting instruction to each WOF strip. Press. Then trim (2) 2" x 48 ½" horizontal sashing strips. Cut (6) 1 ½" x WOF strips. Subcut the following for section assembly: (9) 1 ½" x 15 ½" strips. (2) 1 ½" x 10 ½" strips. (2) 1 ½" x 9 ½" strips. (1) 1 ½" x 8 ½" strip. (2) 1 ½" x 7 ½" strips. (1) 1 ½" x 5 ½" strip. (2) 1 ½" x 4 ½" strip. (1) 1 ½" x 5 ½" strip. (1) 1 ½" x 5 ½" strip. (2) 1 ½" x 4 ½" strips. (1) 1 ½" x 5 ½" strip. (2) 1 ½" x 4 ½" strips. (1) 2" x WOF strip. Subcut (2) 2" x 15 ½" strips for section assembly. (1) 1 ¾" x WOF strip. Subcut (24) 1 ¾" squares for SNF Unit Assembly. (1) 3" x WOF strip. Subcut (9) 3" squares. Set (5) 3" squares aside for HST Unit Assembly and (4) 3" squares aside for SNF Unit Assembly.
В		SPECTRUM 52782-3 Wheat	1 1/4	(7) 5 ½" x WOF strips. Piece strips for length using diagonal seams. From the long strip, subcut the following: (2) 5 ½" x 51 ½" Side Border 3 strips. (2) 5 ½" x 61 ½" Top/Bottom Border 3 strips.
С		SPECTRUM 52782-21 Admiral INCLUDES BINDING	1	(6) 1" x WOF strips. Piece strips for length and subcut the following: (2) 1" x 50 ½" Side Border 2 strips. (2) 1" x 51 ½" Top/Bottom Border 2 strips. (1) 10 ¼" x WOF strip. Subcut the following: (1) 10 ¼" square; cut the square twice diagonally to make (4) QST for QST Unit Assembly. (5) 3" squares for HST Unit Assembly. FOR BINDING: (7) 2 ½" x WOF strips for binding.



D	SPECTRUM 52782-36 Ruby	3/8	 (1) 6" x WOF strip. Subcut the following: (2) 5" squares for HST Unit Assembly. Cut the remainder of the strip measuring approximately 6" x 32" into (2) 3" x 32" strips. Subcut (20) 3" squares for Flying Geese Unit Assembly. (1) 3" x WOF strip. Subcut (4) 3" squares for Flying Geese Unit Assembly to total (24) squares.
E	SAVANNA SUNRISE 52985DP-1 Savanna	1 Panel	Choose (4) animal panels to feature in Sections 2, 4, 6 and 8. Cut each panel to measure 15 ½" x 10 ½" unfinished.
F	SAVANNA SUNRISE 32742C-1 Savanna	1/4	From yardage, cut the following: (1) 5" x 7 ½" rectangle for Section 1. (1) 4 ½" x 5 ½" rectangle for Section 5. (1) 5" x 7 ½" rectangle for Section 9.
G	SAVANNA SUNRISE 32742C-5 Sunrise	1/4	From yardage, cut (2) 5" squares for HST Unit Assembly.
н	SAVANNA SUNRISE 32743C-1 Black	3/8	(2) 5 ½" x WOF strips. Subcut the following: (12) 5 ½" x 3" rectangles for Flying Geese Unit Assembly. (1) 5 ½" x 10 ½" rectangle for Section 5.
ı	SAVANNA SUNRISE 33784C-X Multi	3/8	(1) 4 ½" x WOF strip. Subcut the following: (1) 4 ½" x 15 ½" rectangle for Section 1. (1) 4 ½" x 15 ½" rectangle for Section 9. (1) 5 ½" x WOF strip. Subcut the following: (1) 5 ½" x 9 ½" rectangle for Section 3. (1) 5 ½" x 9 ½" rectangle for Section 7.
J	SAVANNA SUNRISE 52986-2 Red	1/4	(1) 5 ½" x WOF strip. Subcut the following: (1) 5 ½" x 10 ½" rectangle for Section 1. (1) 5 ½" x 10 ½" rectangle for Section 9. (1) 4 ½" x 6 ½" rectangle for Section 2. (1) 4 ½" x 6 ½" rectangle for Section 8.
K	SAVANNA SUNRISE 52986-3 Green	1⁄4	(1) 3" x WOF strip. Subcut (12) 3" squares for SNF Unit Assembly.
L	SAVANNA SUNRISE 52986-4 Blue	3/8	From yardage, cut the following: (1) 10 ¼" square; cut the square twice diagonally to make (4) QST for QST Unit Assembly. (1) 9 ½" square for Section 5.




М	SAVANNA SUNRISE 52987-X Multi	1/4	(1) 5" x WOF strip. Subcut the following: (1) 5" x 7 ½" rectangle for Section 1. (1) 5" x 7 ½" rectangle for Section 9. (2) 3" x 8 ½" rectangles for Section 5.
	Backing	4	Batting 69" x 69"

PROJECT DISCLAIMER: Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however, no warranty can be given nor results guaranteed. Therefore, we assume no responsibility nor damages that may occur when referring to this pattern. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. We suggest you check **windhamfabrics.com** for pattern updates and to test the pattern prior to making the project. Test templates first, before cutting all the pieces. Free projects are not for resale.


PIECING INSTRUCTIONS

HST UNIT ASSEMBLY:

- 1. Draw a diagonal line on the wrong side of (5) 3" **Fabric A** squares.
- 2. Place each **Fabric A** square with (1) 3" **Fabric C** square, RST and edges aligned.
- 3. Sew a ¼" away from either side of the drawn diagonal line on each set of squares.
- 4. Cut along the drawn diagonal line, creating a total of (10) HST Units. Trim **A/C** HST Units to measure 2 ½" x 2 ½" unfinished. **A/C** HST Units will be used in Sections 1 and 9.



- 5. Draw a diagonal line on the wrong side of (2) 5" **Fabric D** squares.
- 6. Place each **Fabric D** square with (1) 5" **Fabric G** square, RST and edges aligned.
- 7. Repeat HST Unit assembly to create (4) **D/G** HST Units. Trim HST Units to measure 4 ½" x 4 ½" unfinished. **D/G** HST Units will be used in Sections 2 and 8.




FLYING GEESE UNIT ASSEMBLY:

- 8. Draw a diagonal line on the wrong side of (24) 3" **Fabric D** squares.
- 9. Place (1) 3" **Fabric D** square onto the corner of (12) 3" x 5 ½" **Fabric H** rectangles, RST and edges aligned. Note the orientation of the drawn diagonal line.
- 10. Sew along the drawn diagonal line. Then, trim excess corner fabric to a ¼" and press toward the corner.
- 11. Repeat SNF techniques to attach an additional 3" **Fabric D** square to the adjacent corner of each 3" x 5 ½" **Fabric H** rectangle to complete (12) Flying Geese Units measuring 3" x 5 ½" unfinished. **D/H** Flying Geese Units will be used in Sections 3 and 7.
















QST UNIT ASSEMBLY:

- 12. Arrange (2) 10 ¼" QST from **Fabrics C** and **L** to form a QST Unit. The longest edges of each triangle will form the outside edges of the unit.
- 13. Sew together as shown, pressing toward **Fabric C**. Trim the QST Unit to measure 9 ½" x 9 ½" unfinished.
- 14. Repeat to create (2) **C/L** QST Units for Sections 3 and 7.









SNF UNIT ASSEMBLY:

- 15. Draw a diagonal line on the wrong side of (24) 1 ¾" Fabric A squares.
- 16. Place (1) 1 ¾" Fabric A square onto (2) opposite corners of (12) 3" Fabric K squares, RST and edges aligned.
- 17. Attach the **Fabric A** squares to the corners of the **Fabric K** squares using SNF techniques to complete (12) **A/K** SNF Units measuring 3" x 3" unfinished. **A/K** SNF Units will be used in Sections 4 and 6.



- 18. Draw a diagonal line on the wrong side of (4) 3" Fabric A squares.
- 19. Place (1) 3" **Fabric A** square onto both top corners of (2) 3" x 8 ½" **Fabric M** rectangles, RST and edges aligned. Please note the orientation of the drawn diagonal line.
- 20. Attach the **Fabric A** squares to the top corners of the **Fabric M** rectangles using SNF techniques to complete (2) **A/M** SNF Units measuring 3" x 8 ½" unfinished. **A/M** SNF Units will be used in Section 5.




SECTION ASSEMBLY:

21. Sections 1-9 use a unique combination of pieced units created in Steps 1-20, assorted rectangles from **Fabrics F-M** varying in size and **Fabric A** rectangles varying in size. Each piece is labeled with sizes and fabric labels.


Arrange Sections 1-9 as shown in the diagrams on Pages 5-7 and sew together. For each section, press all seams toward the **Fabric A** rectangles. Completed sections should measure 15 ½" x 15 ½" unfinished.

























15 ½"




























QUILT ASSEMBLY:

- 22. Arrange Sections 1-9 in numerical order moving left to right and top to bottom. Place (1) 2" x 15 ½" **Fabric A** sashing strip vertically in between each section. Place (1) 2" x 48 ½" **Fabric A** sashing strip horizontally in between each section row.
- 23. Sew the quilt top center together, pressing seams toward the sashing strips. Once complete, the quilt top center should measure 48 ½" x 48 ½" unfinished.



- 24. Sew (1) **Fabric A** Side Border 1 to either side of the quilt top center. Then, sew (1) **Fabric A** Top/Bottom Border 1 to the top and bottom of the quilt top center. The quilt top should measure 50 ½" x 50 ½" unfinished at this step. (For all borders, reference the diagrams and cutting instructions for border sizes. Press outward after attaching each border.)
- 25. Sew (1) **Fabric C** Side Border 2 to either side of the quilt top. Then, sew (1) **Fabric C** Top/Bottom Border 2 to the top and bottom of the quilt top. The quilt top should measure 51 ½" x 51 ½" unfinished at this step.
- 26. Sew (1) **Fabric B** Side Border 3 to either side of the quilt top. Then, sew (1) **Fabric B** Top/Bottom Border 3 to the top and bottom of the quilt top to complete quilt assembly. The completed quilt top should measure 61 ½" x 61 ½" unfinished.





Finishing the Quilt:

- 27. Layer the quilt top with batting and backing. Baste quilt layers together.
- 28. Quilt as desired.
- 29. Bind quilt using (7) 2 1/4" x WOF Fabric C strips. Enjoy!