
04.01.17 windhamfabrics.com

Scrappy Star

Designed by Wendy Sheppard
Featuring JJJ Backgrounds by Jill Shaulis, Julie Hendricksen and Jeanie Horton
SIZE: 64-1/2" x 78-1/2"



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.



FREE PROJECT




KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
Α		25029S Ivory Solid	1-7/8	Pieced Blocks: (6) 3" x WOF. Subcut (80) 3" squares. Sashing rectangles: (2) 12 1/2" x WOF. Subcut (31) 2 1/2" x 12 1/2" rectangles. Inner border: (7) 2 1/2" x WOF. Piece strips and subcut (2) 2 1/2" x 58 1/2" and (2) 2 1/2" x 68 1/2" strips.
В		25784A-20	3/4	Pieced Blocks: (8) 2 1/2" x WOF. Subcut (120) 2 1/2" squares.
С		29269A-3	5/8	Pieced Blocks: (3) 2 1/2" x WOF. Subcut (40) 2 1/2" squares. (3) 3" x WOF. Subcut (40) 3" squares.
D		29526A-20	1-1/4	Pieced Blocks: (4) 2 1/2" x WOF. Subcut (60) 2 1/2" squares. Outer Border: (7) 3 3/4" x WOF. Piece strips and subcut (2) 3 3/4" x 65" and (2) 3 3/4" x 72 1/2" strips.
E		39717A-3	1/2	Pieced Blocks: (4) 2 1/2" x WOF. Subcut (60) 2 1/2" squares. Cornerstones: (1) 2 1/2" x WOF. Subcut (12) 2 1/2" squares.
F		40215B-5	1 1/8	Pieced Blocks: (6) 2 1/2" x WOF. Subcut (80) 2 1/2" squares. Binding: (8) 2 1/4" strips. Piece strips to make a continuous binding strip.
G		42491A-3	5/8	Pieced Blocks: (3) 2 1/2" x WOF. Subcut (40) 2 1/2" squares. (3) 3" x WOF. Subcut (40) 3" squares.
Н		42595A-20	3/8	Pieced Blocks: (4) 2 1/2" x WOF. Subcut (60) 2 1/2" squares.
I		50331-1 Brown	3/8	Pieced Blocks: (4) 2 1/2" x WOF. Subcut (60) 2 1/2" squares.
J	1	50332-1 Brown	3/8	Pieced Blocks: (3) 2 1/2" x WOF. Subcut (40) 2 1/2" squares.
		Backing	4-7/8	
				72" x 85" piece of batting.




Constructing Pieced Blocks

- 1. HST units. Draw a diagonal line on the wrong side of (1) 3" **A** square. Place square, right sides together, on (1) 3" **C** square. Sew 1/4" away from, on right and left sides of drawn line. Cut along drawn line. Open and press to yield (2) HST units. Align diagonal seam of HST units against 45-degree line on quilting ruler, trim units to measure 2 1/2" x 2 1/2" raw edge to raw edge. Make a total of (4) **C** and (4) **G** HST units.
- 2. Pieced rows. Arrange and sew together 2 1/2" print squares and HST units (where appropriate) to make a pieced row.



3. Sew pieced rows together to complete (1) block as shown on page 3.






4. Repeat to make a total of (20) blocks. Blocks should measure 12 $1/2" \times 12 1/2"$.




Quilt Center Assembly

1. Pieced rows. Noting block orientation, arrange and sew together (4) pieced blocks and (3) $2\ 1/2" \times 12\ 1/2"$ **A** sashing rectangles to make a pieced row.





2. Pieced sashing rows. Arrange and sew together (4) 2 $1/2" \times 12 1/2"$ **A** sashing rectangles and (3) 2 1/2" square **E** cornerstones to make a pieced sashing row. Make a total of (4) pieced sashing rows.



Quilt Top Assembly

- 1. Inner border. Sew (2) 2 $1/2" \times 68 \ 1/2"$ **A** strips to the opposite long sides of quilt center, followed by (2) 2 $1/2" \times 58 \ 1/2"$ **A** strips to the remaining opposite short sides as shown on page 6.
- 2. Outer border. Sew (2) 3 3/4" x 72 1/2" **D** strips to the opposite long sides of quilt center, followed by (2) 3 3/4" x 65" **D** strips to the remaining opposite short sides to complete quilt top as shown on page 6.

Quilting Instructions

With the backing fabric laying taut, place batting and then quilt top to form quilt sandwich. Baste sandwich. Quilt as desired. Bind to finish quilt.



