

Wishing Well

Designed by Wendy Sheppard
Featuring Elm Cottage by L'Atelier Perdu

SIZE: 42.5" x 55.5"

FREE
PROJECT



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.



Wishing Well

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
A		42176-1 Blue	1/4	Pieced blocks 2 (2 1/2" x WOF). Set aside.
B		42182-4 Red	1/4	Pieced blocks 2 (2 1/2" x WOF). Set aside.
C		42182-1 Blue	1/4	Pieced blocks 2 (2 1/2" x WOF). Set aside.
D		42176-2 Tan	1/4	Pieced blocks 2 (2 1/2" x WOF). Set aside.
E		42175-1 Blue	1/4	Pieced blocks 2 (2 1/2" x WOF). Set aside.
F		42180-2 Tan	1/4	Pieced blocks 2 (2 1/2" x WOF). Set aside.
G		42178-4 Red	3/8	Pieced blocks 4 (2 1/2" x wof). Set aside.
H		42177-1 Blue	3/8	Pieced blocks 3 (2 1/2" x WOF). Subcut 16 (2 1/2" x 6 1/2") rectangles.
I		42182-3 Khaki	3/8	Pieced blocks 3 (2 1/2" x WOF). Subcut 16 (2 1/2" x 6 1/2") rectangles.
J		42180-4 Red	3/8	Pieced blocks 3 (2 1/2" x WOF). Subcut 16 (2 1/2" x 6 1/2") rectangles.
K		42181-1 Blue	1	Pieced blocks 3 (2 1/2" x WOF). Subcut 48 (2 1/2" x 2 1/2") squares. Sashing rectangles 6 (1 1/2" x WOF). Subcut 17 (1 1/2" x 12 1/2") rectangles. Outer border 5 (2 3/4" x WOF). Piece strips and subcut 2 (2 3/4" x 43") and 2 (2 3/4" x 51 1/2") strips.
L		42179-3 Khaki	1/2	Binding Cut (6) 2-1/4" x 42" strips, piece together to make a continuous binding strip Sashing cornerstones 1 (1 1/2" x WOF). Subcut 6 (1 1/2" x 1 1/2") squares
		Backing	2-7/8	
				50 1/2" X 63 1/2" Piece of Batting



Wishing Well

Block Construction (using H block as example)

1. Pinwheel pieces. Draw a diagonal line on the wrong side of 1 (2 1/2" x 2 1/2") **K**. Place square, right sides together, at a corner of 1 (2 1/2" x 6 1/2") **H** rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal blue check corner triangle.



Repeat to make a total of 16 HK pinwheel pieces. Repeat with J (2 1/2" x 6 1/2") and I (2 1/2" x 6 1/2") rectangles to make 16 JK and 16 IK pinwheel pieces.

2. Pieced strips subunits.

Sew together (2 1/2" x WOF) strips in designated pairs, and subcut at 6 1/2" intervals to yield subunits. Will used 1 subunit per block. [Repeat with remaining strips to yield a total of 12 subunits used in all 12 blocks.]

A / B:



Make 12

F / G:



Make 12

G / C:





Make 12

D / E:



Make 12


3. Sew 1 HK pinwheel piece to 1 of each of the subunits made in step 2 to make block quadrants.






Wishing Well

4. Sew quadrants together to complete 1 H block.



5. Repeat to make a total of 4 blocks in the following colorways: **H**, **I**, and **J**.




Quilt Assembly:

1. Pieced rows. As shown in the Quilt Assembly diagram, arrange and sew together 3 pieced blocks and 2 (1 1/2" x 12 1/2") **K** sashing rectangles to make a pieced row. Note block orientations when sewing blocks together.
2. Pieced sashing rows. Arrange and sew together 3 (1 1/2" x 12 1/2") **K** sashing rectangles and 2 (1 1/2" x 1 1/2") **L** cornerstones to make a pieced sashing row. Repeat to make a total of 3 rows.
3. Sew pieced rows and pieced sashing rows together to complete quilt center.



Wishing Well

QUILT ASSEMBLY DIAGRAM



4. Outer border. Sew 2 (2 3/4" x 51 1/2") **K** strips to the opposite long sides of quilt center. Sew 2 (2 3/4" x 43") **K** strips to the remaining opposite short sides of quilt center to complete quilt top.

Finishing

Layer quilt top, batting and backing together. Baste and quilt as desired. Attach binding to complete quilt.



Wishing Well

Border Assembly Diagram

